::



ENTERED

OIPE

RAW SEQUENCE LISTING

1 41105 APPLICANT: Loughney, Kate

PATENT APPLICATION: US/10/034,015A

DATE: 03/24/2003 TIME: 10:09:53

input Set : N:\Crf4\03102003\J034015.raw
Output Set: N:\CRF4\03242003\J034015A.raw

```
2 01200 TITLE OF INVENTION: Phosphodiesterase 10
 3 +:130: FILE REFERENCE: 27:66/35308
 4 - 11400 CURRENT APPLICATION NUMBER: US/10/034,015A
 5 -01410 CURPENT FILING DATE: 2001-12-20
 6 ×150: PRIOR APPLICATION NUMBER: 60/675,503
  HITTH PRICE FILING DATE: 1998-02-23
 4 01600 NUMBER OF SEQ 10 NOS: 26
 + 01700 SOFTWARE: Patentin Ver. 2.0
11 02100 SEQ ID NO: 1
1. -0.110 LENGTH: 1543
15 HHIEF TYPE: DNA
14 +0.0130 OBGANISM: Homo sapiens
15 -01200 FEATURE:
16 -00210 NAME/KEY: CDS
10 -02220 LOCATION: (26)..(1423)
1% <400> SEQUENCE: 1
1'+
          obcasaggeds totadorggs bateg and gad gds tto aga ago act deg tad
                                       Met Asp Ala Phe Arg Ser Thr Pro Tyr
20
                                                                              100
21
          als ging aga bot ging god ato aag caa oto too gag aga gaa gaa tita
2 5
          Lys Val Arg Pro Val Ala Ile Lys Gln Leu Ser Glu Arg Glu Glu Leu
24
                               1.5
                                                    20
                                                                              148
2:
          and dag ago gtg ong gog dag gtt goa gag bag ttd toa aga goa ttd
          Ile Gin Ser Val Leu Ala Gin Val Ala Glu Gin Fhe Ser Arg Ala Phe
                           3.0
                                                35
                                                                              196
          ara ato aat gaa oto aaa got gaa gtt goa aat cao ttg got gto ota
          Lys Ile Ash Glu Leu Lys Ala Glu Val Ala Ash His Leu Ala Val Leu
23
30
31
          gag aaa ogo gtg gaa ttg gaa gga ota aaa gtg gtg gag att gag aaa
          Glu Lys Arg Val Glu Leu Glu Gly Leu Lys Val Val Glu lle Glu Lys
3.3
3.:
          tgo aag agt gac att aag aag atg agg gag gag otg gog goc aga agc
3.5
          Cys Lys Ser Asp Ile Lys Lys Met Arg Glu Glu Leu Ala Ala Arg Ser
36
                                    80
37
          add agu add aad tgo cow tyt aag tad agt tit itty gat aad dad aaj
          Ser Arg Thr Ash Cys Ero Cys Lys Tyr Ser Fhe Leu Asp Ash His Lys
38
39
          and tig not est ean ego wat bit one has the each mad big oto
43
          Lys Leu Thr Fre Arg Arg Asp Val Pro Thr Tyr Pro Lys Tyr Leu Leu
4...
43
          tot loa gag and ato gag gor obg ong aag ong aro til gad gin ing
```

der Fro Riu Thr Ile Blu Ala Leu Arg Lys Fro Thr Phe Asp Val Trp

RAW SEQUENCE LISTING DATE: 03/24/2003 PATENT APPLICATION: US/10/034,015A TIME: 10:09:53

• =				100					130					135			
45				125				- + ~		+ 22.5	a+ ~	~~~				05.3	484
46						gaş											404
47	Leu	rp		Pro	Asn	31 i	.4et		5€r	-2¥3	:9-1	ند لمان		V (=)	172	HIS	
. ‡			14)					145					150				<i>(</i> : 0 2
4.5	gac	cto	333	ciá	ā:s	àg q	gac	tta	agc	ato	a.a.c	act	gto	300	CIO	aqq	6.3.5
3.:	Asp	Leı	$\Im 1\gamma$	1.8%	Val	$\operatorname{Ar} \mathfrak{g}$	Ash	Pho	Sor		À5:1		Val	Thir	Leu	Arg	
5:		100					160					165					
52						ąt≎											580
5.3	Arş	Trp	Leu	Prie	Cys	Val	His	A30	Asn	Tyr	Arg	A.3.71	Asn	$\operatorname{Fr} \circ$	Phe	His	
5.4	170					175					180					185	
o f.	aa:	tta	ogg	o a o	6.33	tta	tga	gtg	gaa	2 3 ₫	atg	atg	tas	ago	a.j	gta	623
$\hat{\xi}_{i}$	Asir.	Phe	Ara	Hils	Cys	Phe	Cys	√al	Ala	Glr.	Met	Met	Tyr	Ser	Met	Val	
; ·;			-		190					195					200		
5.4	tiaia	ata	tac	adt	010	cag	র,র রে	3,3,0	ttc	toa	D.a.a	acc	qat	ato	atiq	atc	676
7.3						317.											
	•		4	235				4	210					215			
÷ 1	21.5	ato	a-0.a		abo	ato	tao	Dia D	dat	ota	dad	cat	000	ववद	to alco	aac	724
*,i <u>-</u>						Ile											
V.			220				- 1	2.25			•		230	- 1	1		
	.9 5 7	a ma		2,5,0	ato	aat	araa.		acta	1.5.1	77.7	aca		pap	T. 3 C	aat	77.2
						Asn											
r r	71011	235	- , -	.,			240			2.2	2332	245			. 1 -		
+.7	. T = T		rica	יר. דור. רי.	מו זיי.	gag		ריפורו	25.0	530	בביר		בחמ	5.5	3.3.0	atc	820
£ #						Glu											
69	250	1 11.0	J.,, L	E E 101	LIF. X	255	. 1.5		* * ·*···	~ y	260	•	111.4		,	265	
70			7 1.7	.~.~+	.m 2.m	tga	2 2.°	g #- ,5		+,		<u>.</u>	.7,7.5	~,~·+	4.3+		863
7.1						Эуз											
7 1 7 1	مرا التأثير	ALG	'3 i. J	E 110	270	~ } ~	Λ.5	1 1 75	1 11/2	275	no.t	1 1 2		''	230		
7 • 1 		2.2.7		5 tr5		pag	7.7.2	5 th (5)	a +		+- +- <u>-</u> -	-, - ,	e- e- ,-q	7		יובד.	916
7 .						alr.											J 1 1
75 75	F11.5	y' =	13 11 1	235	wid	11.	,3 L).	ME C	290	1.11	mic y	115	±i≎i),	295		v2F,	
76 76	~	~ ~ ~	3.35		***	gaa	2 # #	n # .~		+ >+	-+-				5 ← ,~	רוב די.	964
77						Gla											204
	1*1*:- E	Ald	_	nls	Mla	1911	1.1.15	305	ASD	261	ane	11 J S	310	Lay is	.19.	גויבני	
78			300									to the least		~	S 4= ~		1012
7.4						aac											1012
÷0	AST.		ASD	ı 'y' I	205 2	Asr.		ما لمات	HIS	.યુન્ટ દ	1111			د لاِند	:4.3	118	
3.1		315					3.20					3.25					2050
- 4						gat											1060
1		lle	$-\Sigma_{\Xi}$	СУЗ	C_YS	Asp		s⊕r	Asn	ET E				Miert.	الناسات		
. '3	331					335										345	4400
33	₫C\$	gag	301	tgg	gig	gac	tgt	tta	tta	gag	gaa	tat	ttt	atg	-0.3g	agc	1108
3 to	Ala	Glu	Pro	Trp		Asp	Оуз	Leu	Leu		Gla	Tyr	Phe	Mert		ser	
37					350					355					360		
36						gaa											1156
39	Asp	Arg	GIN	_	Ser	Glu	Gly	Leu		Val	Ala	Pro	Phe		Asp	Arq	
3 .0				365					310					375			
91	gad	āāà	gtg	acc	aag	gaa	aca	400	cag	att	334	tta	ata	वेवेष्	ttt	ā:3	1004
92	Asp	Lys	va.	Thr	Lys	Ala	Thr	Ala	Gln	$\square \in$	Gly	Pho		Lys	Fhe	Val	
93			380					385					390				

RAW SEQUENCE LISTING DATE: 03/24/2003 PATENT APPLICATION: US/10/034,015A TIME: 10:09:53

99	94 95	g ato oca atg itt gaa aca gig aco aag oto itt occ atg git gag ou lle Pro Met Phe Glu Thr Val Thr Lys Leu Phe Pro Met Val Glu	1252
93			
91	97		1300
100	93	u Ile Met Leu Gln Pro Leu Trp Glu Ser Arg Asp Arg Tyr Glu Glu	
10	93		
12	1.10	stg aag ogg ata gat gao goo atg aaa gag tta bag aag aag act gao -	1348
3 age ttq aeg tct ggg gcc acc gag aug tcc aga ggg ags acc aga gat 1396 3 5 5 6 10 17 5 5 14 17 6 12 15 10 445 400 455 100 3tg aaa acc agt gaa gga ggc tqt gcc tgaggaaagc ggggggdgt 1443 107 Val Lys Asn Fer Slu Gly Asp Cys Ala 108 460 465 465 109 460 465 109 3 15 15 10 109 460 465 100 3 15 15 100 3 15 15 101 3 15 15 102 3 15 15 103 3 15 104 3 15 15 105 3 15 106 3 15 107 3 15 108 3 10 10 108 3 10 10 109 3 10 10 109 3 10 10 110 12 10 110 12 10 110 10 15 110 12 15 110 15 10 110 15 10 111 15 10 15 112 15 15 113 15 10 114 15 10 15 115 15 15 116 15 15 117 Met Asp Ala Phe Ang Ger Thr Pro Tyr Lys Val Ang Pro Val Ala Ille 118 118 1 1 1 1 119 15 15 110 15 1			
Ser Led. The Ser Siy Ala Thr Glu Lys Ser Arg Sly Arg Ser Arg Asp			1000
100			1396
100		·	
107			7 / 1 7
1 %	_		1443
100	_		
10			. :503
111 02100 SEQ 10 NO: 2 113 02110 LENGTH: 460 114 02120 TYPE: PRT 115 02130 OPGANION: Home sapions 116 04000 SEQUENCE: 3 117			
115			1015
114 02120 TYPE: RET			
115 02130 OEGANISM: Home sapions 116 04000 SEQUENCE: 2 117			
116 04000 SEQUENCE: 1 117			
118			
118	1:7	Met Asp Ala Phe Ard Ser Thr Pro Tyr Lys Val Arg Pro Val Ala Ile	
100	118		
1.1	114	lys Gln Len Ser Glu Arg Glu Glu Leu Ille Gln Ser Val Leu Ala Gln	
1.00	110	20	
1.0		'al Ala Giu Gin Phe Ser Arg Ala Phe Lys Ile Asn Glu Leu Lys Ala	
1.4	1. ::	35 40 45	
118			
108			
1.7		- · · · · · · · · · · · · · · · · · · ·	
1.8			
1.9 Lys Tyr Ser Phe Leu Asp Ash His Lys Lys Leu Thr Pro Arg Arg Asp 100 100 105 110 110 110 110 110 110 110			
1:0 100 105 116 1:1 Val Pro Thr Tyr Pro Lys Tyr Leu Leu Ser Pro Glu Thr Ile Glu Ala 1:2 120 125 1:3 Leu Arg Lys Pro Thr Phe Asp Val Trp Leu Trp Glu Pro Ash Glu Met 1:4 130 135 140 1:5 140 1:5 150 145 1:6 155 160 1:7 Phe Ser Ile Ash Pro Val Thr Leu Arg Arg Trp Leu Phe Cys Val His 1:5 156 170 175 1:5 159 Asp Ash Tyr Arg Ash Ash Pro Phe His Ash Phe Arg His Cys Phe Cys 1:40 180 180 185 190 1:41 Val Ala Gln Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gln Glu 1:42 195 200			
1:1 Val Pro Thr Tyr Pro Lys Tyr Leu Leu Ser Pro Glu Thr Ile Glu Ala 1:2 1:2 1:3 1:2 1:3 Leu Arg Lys Pro Thr Phe Asp Val Trp Leu Trp Glu Pro Ash Glu Met 1:4 1:5 1:5 1:40 1:5 1:40 1:5 1:5 1:6 1:5 1:7 1:5 1:6 1:5 1:6 1:7 1:6 1:7 1:6 1:7 1:6 1:7 1:7 1:7 1:8 1:8 1:9 1:8 1:8 1:9 1:4 1:1 1:4 1:1 1:4 1:1 1:4 1:2 1:5 1:5 1:6 1:7 1:7 1:7 1:8 1:9 1:4 1:4 1:4 1:4 1:4 1:4 1:5 1:5 1:5 1:5 1:6 1:5 1:7			
131			
133 Leu Arg Lys Pro Thr Phe Asp Val Trp Leu Trp Glu Pro Ash Glu Met			
124 130 135 140 135 Leu Ser Cys Leu Giu His Met Tyr His Asp Leu Gly Leu Val Arg Asp 120 145 150 155 160 127 Phe Ser Ile Ash Pro Val Thr Leu Arg Arg Trp Leu Phe Cys Val His 120 175 175 136 Asp Ash Tyr Arg Ash Ash Pro Phe His Ash Phe Arg His Cys Phe Cys 140 180 185 190 141 Val Ala Gin Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gin Glu 142 195 200 205			
135			
136 145 150 155 160 17 Phe Ser Ile Asn Pro Val Thr Leu Arg Arg Trp Leu Phe Cys Val His 178 165 170 175 159 Asp Asn Tyr Arg Asn Asn Pro Phe His Asn Phe Arg His Cys Phe Cys 140 180 185 190 141 Val Ala Gln Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gln Glu 142 195 200 205			
178 165 170 175 159 Asp Asr. Tyr Arg Asn Asn Fro Phe His Asn Phe Arg His Cys Phe Cys 140 180 185 190 141 Val Ala Gln Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gln Glu 142 205 205			
178 165 170 175 159 Asp Asr. Tyr Arg Asn Asn Fro Phe His Asn Phe Arg His Cys Phe Cys 140 180 185 190 141 Val Ala Gln Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gln Glu 142 205 205			
140 180 185 190 141 Val Ala Gln Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gln Glu 142 195 200 205			
140 180 185 190 141 Val Ala Gln Met Met Tyr Ser Met Val Trp Leu Cys Ser Leu Gln Glu 142 195 200 205	1.59	sp Asn Tyr Arg Asn Asn Fro Phe His Asn Phe Arg His Cys Phe Cys	
142 195 200 205		180 185 190	
- 192			
143 Lys Fhe Ser Gin Thr Asp Ile Lou Ile Leu Met Thr Ala Ala Ile Cys	1 '1 C		
	143	ys The Ser Gin Thr Asp Ile Leu Ile Leu Met Thr Ala Ala Ile Cys	

RAW SEQUENCE LISTING

DATE: 03/24/2003 PATENT APPLICATION: US/10/034,015A TIME: 10:0::53

144		2	10					215					220				
145	Hi			Leu	Азр	His	Pro	Gly	Tyr	Asn	As n	Thr	Tyr	Gln	Ile	Asr.	Ala
146	32						230					235					240
147	Ar	g I	nr	Glu	Leu	Ala	Väl	Arg	Tyr	Asn		Ile	Ser	Pro	Leu	31 u	Asn
148						245					250					.:55	
149	Hi	. E . H	lis	Jys	Alā	Val	Ala	Dhe	Gln	Tic	Tier 4	Ala	614	Pro	Glu	Σγ.ε-	Asn
150					Z 5 (1					265					270		
151		Le: E	ે∴હ	Ser	Asn	lle	Pro	Fro		Gly	Pr.e	Lys	Gln		Arg	Hn	Gly
15.2				275					280					285			
1 - 3	14-			Inr	Leu	Ile	Leu	Ala	Thr	Asp	Met	Ala		His	Ala	-31 11	110
1 : 4			30	~	. ·		~ 1	2.95		~ `		E.)	300	T	-		.2.1
100			.sp	Ser	Fue	y S		Lys	Met.	גוגנו	Asn		Asp	Tyr.	ser	ASE	
1106	.). 			11. 4	n ia		313		1100	T 1 a	T	315		Cira			320
157	LT .	L F	:13	.YIE: L	1111	325	.나당 기	Lys	.પાલ દ	1.16	330	TIG	- λ. ·	Cylin	~ y ·-	335 335	1115
1 1 2	,	. v . T.		-1	*7 = 1		Dra	Met	2111	17 = 1		G11:	Dra	ומיא וווי	1/a1		(21)
1 1 1	~.!·	: 1 F	12.1	·11 L	340	m. ü	£ £ 127	1.16.0	'JJ	345	A.a	U (a	110	1 - 1-7	350	. r F.	·
1.11		ar T	=-1	0.11		Tur	Philip	Met	(31 n		Aen	Ara	Gla	Lezs		ale	Glv
1			1. 2	3 5 5	-/	- 7 -		110.1	360	00.1	, , c p		.54. 4	365	.5.52		J1
1	:,•	eu E	ro		Ala	Pro	Phe	Mert.		Ard	qsA	Lys	Val		Lys	Ala	Thr
1;			- 70					375	•			•	380		-		
1	A.	a G	iln.	1 l e	Gly	Phe	Ll⊕	Lys	Phe	Val	Leu	Ile	Pro	Met	Ph⊕	Glu	Thr
$1 \cdot 6$: -	Ę					390					395					400
1+7	**	:1 T	Tir	Liys	Lea	₽he	Pro	Met	Val	Glu	Glu	Ile	Met	Leu	Glr.	Pro	Leu
166						405					410					415	
$1 \cdot 2$	Τ:	.b G	r. 1 -	ε er	Arz	Asp	Arg	Tyr	G112		Leu	Lys	Arg	Ide	Asp	Asp	Ala
1770					420					425					430		
1 1	1-1-	·t I	yЗ		Leu	Glr.	Lys	$T\lambda z$		Asp	Ser	L∈u	Thr		Gly	Ala	Thr
172				435		7.1		/3	440				·n	4 1 5			n
173	1-3			_ 1	Arg	λ, Τε)	Arg	Ser	Arg	Asp	Val	гуз		Ser	151U	GTŽ.	Asp
173 175	.5.		(50 (15					455					460				
176	- 1 •	S A	i i d														
	<2105 SEC		•JC)• -													
	+:211: LE:																
	-:212: TY																
	- 213:- OF				10 <i>E</i> 8	apier	ıs										
182	1%2 ::220: FEATUFE:																
183	183 - 12210 NAME/BEY: misc feature																
$1 \in 4$	-12221- Let	'AT'I	QH:	130) _												
185	-223: OT:	EF	INF	OF.MA	ATIO:	: N	= A	Ξ,	G, (or C							
	186 H220H FEATURE:																
	197 H221H NAME/KEY: misc_feature																
	88 K222F LCCATION: 186																
	189 \times 223: OTHER INFORMATION: N = A, T, G, or C																
	.90 K220> FFATURE: .91 K221> NAME/WEY: misc feature																
						ratur	-e										
	K0221 100																
+ 3.3	SPREMENTAL OTH	EF		C.T.C.F	1	VV	- 11,	• • •	·-,								

RAW SEQUENCE LISTING

FATENT APPLICATION: US/10/034,015A

DATE: 03/24/2003 TIME: 10:09:53

```
194 4460% SEDUENCH: 3
     1.45
               - allogacingtig agalagticaga aggeetteet ytggaacegt teatggaceg agacaaagtig 60
     1 16
                -a kaaaggood dagoobagat tgggtteate dagtstgeke tgatoocaat gistgadada 120
                gtgaccaagn tetteeceat ggttgaggag ateatgetge agecaetttg ggaateeega 180
W--> 197
     1 1
                gitogniacg aggagotgaa goggniagat gacgocatga aagag
     20 - 3210 - FED ID NO: 4
      181 1211 | DNGTH: 158
     30. K212 - TYPE: DNA
     10: 4013 + CRUANISM: Homo supiens
     L44 KL20 - PEATURE:
     1.05 Midle NAME/MEY: misc feature
     L 60 0. 22 - 100 ATTON: 12
     11.07 + 1.113 + 0.000 INFORMATION: N = A, T, G, or C
     HUA HILDO - FEATURE:
     .000 0.01 + MAME, MEY: musc_feature
     . I - H. Mark I BEAT DON: 37
     TIL STREET OTHER INFORMATION: N = A, T, G, or C
     II. H. HOR BEATURE:
     .l. d.... NAME: FEY: must feature
     .14 KING / DOMATION: 62
     M: M: M: M \to M
     DIN HILLOR PEATURE:
     ..17^{\circ} \cdot \forall \texttt{ABC1} \cdot \texttt{NAME/FEY: nisc_feature}
     218 -2222 LOCATION: 110
     213 \times 1... \times 9 OTHER INFORMATION: N = A, T, G, or C
     220 94000 PEQUENCE: 4
              gtaccagate antgecegea cagagetgge ggteegntae aatgaeatet caeegttgga 60
W--> 221
                grammedaeca etgegoogtg genttesaga teetegooga geotgagtgn aanatettet 120
                                                                                        158
                realications acctigatiggs the aageaga toogadag
     . . . .
     ... will - SEP II NO: 5
     1.74 HARITE LENGTH: 98
     ..7 -DHIZD TYPE: ENA
     118 - 1213 - OFFANISM: Homo supiens
     In the district FEATURE:
     Late Hill ID MAME, REY: masc_feature
     LEI HUDIE LOTATION: 14
     IN THE OTHER INFORMATION: N = A, T, G, or C
     333 SECTION FEATURE:
     334 33 10 MAME REY: misc feature
     Has Hullib LorAtion: 20
     And the Stricted information: N = A, T, G, or C
     AND MAN ON FEATURE:
     208 -UNITED NAME FEY: misc_feature
     259 KINES LOCATION: 50
     240 <21.35 OTHER INFORMATION: N = A, T, G, or C
     241 <400: SEQUENCE: 5
              gagaacacca etgngeegtg gnetteeaga teetegeega geetgagtgn aacatettet 60
W--> 242
                draacatood acolgatgag tidaagdaga toogadag
     245 K210% SEG ID MO: 6
```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 03/24/2003 PATENT APPLICATION: US/10/034,015A

TIME: 10:09:54

Input Set : N:\Crf4\03102003\J034015.raw Output Set: N:\CRF4\03242003\J034015A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:3; N Pos. 130,186,205

Seq#:4; N Tos. 12,37,62,110

Seq#:5; N Pos. 14,22,50

Seq#:6; N Pos. 1,267,352,400,411

Seq#:7; N Pos. 1,82,92,130,347,390,396

Seq#:8; N Pos. 63,98,107,188,203,206,238,252,297,370,389,427

Seq#:11; N Pos. 155,393,442

VERIFICATION SUMMARY

DATE: 03/24/2003 TIME: 10:09:54 PATENT APPLICATION: US/10/034,015A

L:197 M:341 W:	(46) "n" or	"Xāā"	used,	for	SEÇ	IL#:3	aiter	pcs.:120
M:341 Repeated	in SeqNo=3							
L:221 M:341 W:	(46) "n" or	"Xaa"	used,	for	SEÇ	ID#:4	after	pcs.:0
M:341 Repeated	in SeqNo=4							
L:242 M:341 W:			-					•
L:270 M:341 W:	(46) "n" or	"Xāā"	used,	for	SEQ	TP#:5	after	pes.:0
M:341 Fercated	ln Segno-6							
L:311 M:341 W:	(46) "n" or	"Xaa"	used,	for	SEQ	ID#:7	after	pos.:0
M:341 Repeated	in SeqNo=7							
L:374 M:341 W:	(46) "n" or	"Xaa"	used,	for	SEQ	ID#:8	after	pos.:60
M:341 Repeated	in SeqNo=8							
L:423 M:341 W:	(46) "n" or	"Xaa"	used,	for	SEQ	ID#:13	l afte:	pos.:120
M:341 Repeated	in SeqNo=11							

STATISTICS SUMMARY

DATE: 03/24/2003 TIME: 10:09:54 PATENT APPLICATION: US/10/034,015A

Input Set : N:\Crf4\03102003\J034015.raw Output Set: N:\CRF4\03242003\J034015A.raw

Application Serial Number: US/10/034,015A

Alpha or Numeric or Mml: Numeric

Application Class:

Application File Date: 12-20-2001

Art Unit: OIPE

Software Application: PatentIN2.0 Total Number of Sequences: 26

Total Nucleotides: 11625 Total Amino Acids: 2452 Number of Errors: 0 Number of Warnings: 22 Number of Corrections: 0

MESSAGE SUMMARY

341 W: 22 ((46) "n" or "Xaa" used)